



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/694,939	10/29/2003	Yasuo Sawada	R2184.0268/P268	6142
24998	7590	02/28/2008		
DICKSTEIN SHAPIRO LLP 1825 EYE STREET NW Washington, DC 20006-5403			EXAMINER BIBBINS, LATANYA	
			ART UNIT	PAPER NUMBER
			2627	
			MAIL DATE	DELIVERY MODE
			02/28/2008	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

**Application No.**

10/694,939

**Applicant(s)**

SAWADA ET AL.

**Examiner**

LaTanya Bibbins

**Art Unit**

2627

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 07 February 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-10 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 October 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### *Continued Examination Under 37 CFR 1.114*

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on December 7, 2007 has been entered.
2. In the remarks filed on December 07, 2007, Applicant amended claims 1 and 7, and submitted arguments for allowability of pending claims 1-10.

### *Response to Arguments*

3. Applicant's arguments filed December 7, 2007 have been fully considered but they are not persuasive.

**Regarding claims 1-10**, Applicant argues that the Nagayama reference does not describe application of a  $T_1$  period  $\cong 0$  based on the recording speed exceeding a predetermined threshold speed.

Examiner respectfully disagrees. Giving amended claims 1 and 7 the broadest reasonable interpretation, one of ordinary skill in the art can interpret the "predetermined threshold speed" as 0 m/s. Nagayama, teaches an off pulse, or cooling pulse, with a duration  $T(n)_L$  preferably set to 0 (column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67). Nagayama further suggests optimizing the cooling

pulse duration  $T(n)_L$  for recording at high linear velocity (column 5 lines 29-62 and column 7 lines 40-44). By having the cooling pulse duration equal to 0 at any speed higher than 0 m/s (in this case the disclosed linear velocities are 3.5 m/s, 5.0 m/s, and 7.0 m/s as described in column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67), Nagayama clearly discloses a relationship where  $T1 \cong 0$  is satisfied when the recording speed exceeds a predetermined threshold speed.

#### ***Claim Rejections - 35 USC § 112***

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

5. **Claims 1-10 rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement.**

Regarding claims 1 and 7, the claims contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventors, at the time the application was filed, had possession of the claimed invention. New or amended claims which introduce elements or limitations which are not supported by the as-filed disclosure violate the written description requirement. See MPEP § 2163 I(B).

In the amendment filed December 7, 2007, claims 1 and 7 were amended to include the limitation "when the recording speed exceeds a predetermined threshold speed" and points to Figure 5 for support of the amendment. However, the specification

does not disclose setting a period T1 of the off-pulse to a predetermined value so that a relationship  $T1 \cong 0$  is satisfied "**when the recording speed exceeds a predetermined threshold speed.**" Instead, in the description of Figure 5, the specification simply discloses  $T1 = 0$  when the recording linear velocity is equal to 14 m/s (see page 20 lines 8-14 of the specification). The specification fails to disclose **a predetermined threshold speed** and the value of T1 at such a predetermined threshold speed. Therefore, the claimed limitation "when the recording speed exceeds a predetermined threshold speed" of amended claims 1 and 7 are not supported by the as-filed disclosure, and the written description requirement is violated.

In the interest of compact prosecution, and in the absence of a clearly defined predetermined threshold speed in the specification, the Examiner will interpret the predetermined threshold speed as 0 m/s.

**Dependent claims 2-6 and 8-10** do not resolve the 35 U.S.C. 112 first paragraph issues of independent claims 1 and 7 recited above and are therefore rejected as incorporating the deficiencies of a claim upon which they depend.

### ***Claim Rejections - 35 USC § 103***

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**7. Claims 1 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1) in view of Nagayama et al. (US Patent Number 6,560,182 B1).**

Regarding claim 1, Spruit discloses an information recording apparatus for recording information on a recording medium by irradiating a pulsed light onto the recording medium (see column 3 lines 52-65 and Figure 5), comprising: a rotating mechanism that rotates the recording medium at one of predetermined recording speeds (see column 10 lines 18 and 19 and Figure 5 element 7); an optical head irradiating the pulsed light onto the recording medium (see column 3 lines 57 and 58 and Figure 5 element 2); and a controller (Figure 5 element 1) that controls the optical head so as to irradiate the pulsed light (column 3 lines 58 and 59) so that a length of a recording mark formed on the recording medium by irradiation of the pulsed light is an  $n$  times of a period  $T_w$  of a basic clock, where  $n$  is a natural number (see column 2 lines 59 and 60 and Figures 1a and 1b), the controller also controls the pulsed light in accordance with one of predetermined recording strategies which matches the one of the predetermined recording speeds (see column 9 lines 17-21) so that the pulsed light contains a train of multi-pulses of a light (see column 1 lines 21 and 22) having a recording power  $P_w$  and a light having a bias power  $P_b$  is irradiated during intervals between the adjacent multi-pulses and a light having an erasing power  $P_e$  is irradiated during intervals between adjacent trains of the multi-pulses, where a relationship  $P_w > P_e > P_b$  is satisfied (see column 3 lines 60-64 and Figure 1b), wherein the controller adds an off-pulse to an end of a final pulse of the train of multi-pulses so that the light

having the bias power  $P_b$  is irradiated during a period  $T_1$  of the off-pulse (see column 3 lines 62-65); and the controller is capable of setting the period  $T_1$  of the off-pulse to a predetermined value (see column 10 lines 62-64). Spruit, however, fails to specifically teach a relationship where  $T_1 \cong 0$  is satisfied when the recording speed exceeds a predetermined threshold speed.

Nagayama, on the other hand, teaches an off pulse, or cooling pulse, with a duration  $T(n)_L$ , where  $T(n)_L$  is decreased and preferably set to 0 (column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67). Nagayama further suggests optimizing the cooling pulse duration  $T(n)_L$  for recording at high linear velocity (column 5 lines 29-62 and column 7 lines 40-44).

Given the Examiner interpretation of the "predetermined threshold speed" (see the 112 1<sup>st</sup> paragraph rejection above where the "predetermined threshold speed" is interpreted as 0 m/s), Nagayama clearly discloses a relationship where  $T_1 \cong 0$  is satisfied when the recording speed exceeds a predetermined threshold speed (by having the cooling pulse duration equal to 0 at any speed higher than 0 m/s as described in column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the cooling pulse duration taught by Nagayama into the information recoding apparatus taught by Spruit. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to prevent an increase in jitter without increasing the

power of laser beam when overwriting is made in an optical recording medium of phase change type at high linear velocity (Nagayama column 2 lines 23-27).

**Regarding claim 5**, Spruit in combination with Nagayama disclose the information recording apparatus as claimed in claim 1, wherein the controller uses one of the predetermined recording strategies according to which the period of T1 of the off-pulse is set as  $T1=0$  (see Nagayama column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67, specifically where teaches an off pulse, or cooling pulse, with a duration  $T(n)_L$  preferably set to 0).

**8. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1) and Nagayama et al. (US Patent Number 6,560,182 B1), as applied to claim 1 above, and further in view of Yamada et al. (US PGPub 2001/0017833 A1).**

**Regarding claim 2**, Spruit in combination with Nagayama disclose the information recording apparatus of claim 1, wherein the controller sets the predetermined value of the period T1 of the off-pulse when recording is performed in accordance with one of the predetermined recording strategies (see Spruit column 10 lines 62-64).

Spruit and Nagayama do not teach that the recording strategy is used for the recording speed equal to or higher than 11 m/s. However, in Figures 2 and 5 Yamada teaches the use of the recording strategy for the recording speed higher than 11 m/s



(specifically a maximum recording linear velocity of 12 m/s and 24 m/s in Figures 2 and 5 respectively).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of Yamada into the information recoding apparatus taught by Spruit and Nagayama. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to provide a method of recording and reproducing information for carrying out multi-speed recording and/or CAV recording which is capable of obtaining high signal quality and improvement in stability, reliability, and general-use properties (Yamada paragraph [0019]).

**9. Claims 3, 7, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1) in view of Nagayama et al. (US Patent Number 6,560,182 B1) and further in view of Nakamura (US Patent Number 6,631,109 B2).**

Regarding claim 3, Spruit in combination with Nagayama teach the information recording apparatus as claimed in claim 1, wherein the recording medium includes a recording layer formed of a material changeable into either an amorphous state or a crystal state (Spruit column 12 lines 16-19), and the controller uses one of the predetermined recording strategies according to which the predetermined value of the period T1 of the off-pulse is set (Spruit column 3 lines 62-65).

Spruit and Nagayama do not teach a recrystallization upper limit linear velocity of the recording medium that is 9 m/s to 13 m/s. However, Nakamura teaches an optical storage medium whose phase change critical linear velocity is 0.7 times the highest linear velocity (see column 7 lines 44-50), where the highest linear velocity of the optical recording medium is defined as 5 m/s to 28 m/s (column 3 line 26).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Spruit and Nagayama with Nakamura. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the information recording apparatus of Spruit and Nagayama with the optical storage medium of Nakamura in order to provide good write/erase characteristics and improve overwrite performances when the recording is performed at the highest linear velocity (see Nakamura column 7 lines 55-58).

**Regarding claim 7**, Spruit discloses an information recording method for recording information on a recording medium by irradiating a pulsed light onto the recording medium (column 1 lines 17-21) so that a length of a recording mark formed on the recording medium by irradiation of the pulsed light is  $n$  times of a period  $T_w$  of a basic clock, where  $n$  is a natural number (column 2 lines 59 and 60), the recording medium including a recording layer formed of a material changeable into either an amorphous state or a crystal state (Spruit column 12 lines 16-19), the method comprising the steps of: irradiating the pulsed light containing a train of multi-pulses of a light having a recording power  $P_w$  and a light having a bias power  $P_b$  during intervals between the adjacent multi-pulses and a light having an erasing power  $P_e$  during

intervals between adjacent trains of the multi-pulses, where a relationship  $P_w > P_e > P_b$  is satisfied and adding an off-pulse to an end of a final pulse of the train of the multi-pulses so that the light having the bias power  $P_b$  is irradiated during a period  $T_1$  of the off-pulse (column 1 lines 55-65 and Figure 1b). Spruit, however, fails to specifically teach a relationship where  $T_1 \cong 0$  is satisfied.

Nagayama, on the other hand, teaches an off pulse, or cooling pulse, with a duration  $T(n)_L$ , where  $T(n)_L$  is decreased and preferably set to 0 (column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67). Nagayama further suggests optimizing the cooling pulse duration  $T(n)_L$  for recording at high linear velocity (column 5 lines 29-62 and column 7 lines 40-44).

Given the Examiner interpretation of the "predetermined threshold speed" (see the 112 1<sup>st</sup> paragraph rejection above where the "predetermined threshold speed" is interpreted as 0 m/s), Nagayama clearly discloses a relationship where  $T_1 \cong 0$  is satisfied when the recording speed exceeds a predetermined threshold speed (by having the cooling pulse duration equal to 0 at any speed higher than 0 m/s as described in column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the cooling pulse duration taught by Nagayama into the information recoding apparatus taught by Spruit. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to prevent an increase in jitter without increasing the

power of laser beam when overwriting is made in an optical recording medium of phase change type at high linear velocity (Nagayama column 2 lines 23-27).

Spruit and Nagayama do not teach a recording medium having a recrystallization upper limit linear velocity of 9 m/s to 13 m/s, however, Nakamura teaches an optical storage medium whose phase change critical linear velocity is 0.7 times the highest linear velocity (see column 7 lines 44-50), where the highest linear velocity of the optical recording medium is defined as 5 m/s to 28 m/s (column 3 line 26).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Spruit and Nagayama with Nakamura. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the method of recording of Spruit and Nagayama with the optical storage medium of Nakamura in order to provide good write/erase characteristics and improve overwrite performances when the recording is performed at the highest linear velocity (see Nakamura column 7 lines 55-58).

**Regarding claim 10**, Spruit, Nagayama, and Nakamura disclose the information recording method as claimed in claim 7, wherein the period T1 of the off-pulse is set as  $T1=0$  (see Nagayama column 5 lines 50-62, column 6 line 15-18, Table 3, Table 4, and column 10 lines 46-67, specifically where teaches an off pulse, or cooling pulse, with a duration  $T(n)_L$  preferably set to 0).

**10. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1) and Nagayama et al. (US Patent Number**

**6,560,182 B1), as applied to claim 1, above, and further in view of Fukuzawa et al. (US Patent Number 6,891,790 B2).**

Regarding claim 4, Spruit and Nagayama do not teach an information recording apparatus wherein the controller uses one of the predetermined recording strategies according to which, when a rising of a head pulse of the train of the multi-pulses leads a time when one period  $T_w$  has passed after a rising of a logical data pulse by a time interval  $dT_{top}$ , a relationship  $-0.3T_w < dT_{top} < 0$  is satisfied. However, Fukuzawa teaches delaying the start of the top pulse  $T_{top}$  with respect to the data to be recorded such that the claimed relationship  $3T_w < dT_{top} < 0$  is satisfied (see column 8 lines 23-38 where different values of  $Q$ , the delay of  $T_{top}$ , are discussed).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the write strategy of Fukuzawa with the teachings of Spruit and Nagayama. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to avoid generating excessive heat (Fukuzawa column 6 lines 53-56).

**11. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1) and Nagayama et al. (US Patent Number 6,560,182 B1), as applied to claim 1, above, and further in view of Ueki (US PGPub Number 2003/0086345 A1).**

Regarding claim 6, Spruit and Nagayama do not teach an information recording apparatus as claimed in claim 1, wherein the recording medium is a DVD+RW, and the

predetermined recording strategies includes a strategy for a recording speed of 3.5 m/s, a strategy for a recording speed of 8.4 m/s and a strategy for a recording speed of 14 m/s, and wherein the predetermined value of the period T1 is set when the strategy for the recording speed of 14 m/s is used to generate the pulsed light when recording.

However, Ueki, teaches an optical disk apparatus wherein the recording medium is a DVD+RW (see paragraph [0052]) and the predetermined recording strategies includes a strategy for a recording speed of 3.5 m/s (see paragraph [0011] and [0046]), and a strategy for a recording speed of 14 m/s (see paragraph [0011] and [0046] where four times the normal velocity of 3.49 m/s is equivalent to 14 m/s), and wherein the predetermined value of the period T1 is set when the strategy for the recording speed of 14 m/s is used to generate the pulsed light when recording (see paragraph [0049] where a strategy for recording is designed to decide the width of the cooling pulse).

Although Ueki fails to specifically teach a strategy for a recording speed of 8.4 m/s, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate a recording strategy for 8.4 m/s since Ueki suggests a normal linear velocity of 3.49 m/s and high linear velocities such as twice or four times the normal velocity are used in known drive apparatus for rewritable optical discs (see paragraph [0011]).

Further, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the DVD+RW recording strategies of Ueki with the optical disk apparatus of Spruit and Nagayama. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings

in order to correct a recording laser beam into an optimal waveform in accordance with a change in the linear velocity relating to the scanning of the disc (Ueki paragraph [0046]).

**12. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1), Nagayama et al. (US Patent Number 6,560,182 B1), and Nakamura (US Patent Number 6,631,109 B2), as applied to claim 7, above, and further in view of Yamada et al. (US PGPub 2001/0017833 A1).**

Regarding claim 8, Spruit, Nagayama, and Nakamura teach the information recording method as claimed in claim 7, wherein the predetermined value is set to the period T1 of the off-pulse (see Spruit column 10 lines 62-64) but do not teach setting T1 when recording is performed at recording speed equal to or higher than 11 m/s.

However, in Figures 2 and 5 Yamada teaches the use of the recording strategy for the recording speed higher than 11 m/s (specifically a maximum recording linear velocity of 12 m/s and 24 m/s in Figures 2 and 5 respectively).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the teachings of Yamada into the information recoding apparatus taught by Spruit, Nagayama, and Nakamura. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to provide a method of recording and reproducing information for carrying out multi-speed recording and/or CAV recording which is

capable of obtaining high signal quality and improvement in stability, reliability, and general-use properties (Yamada paragraph [0019]).

**13. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Spruit (US Patent Number 6,751,513 B1), Nagayama et al. (US Patent Number 6,560,182 B1), and Nakamura (US Patent Number 6,631,109 B2), as applied to claim 7, above, and further in view of Fukuzawa et al. (US Patent Number 6,891,790 B2).**

Regarding claim 9, Spruit, Nagayama, and Nakamura fail to teach an information recording method wherein when a rising of a head pulse of the train of the multi-pulses leads a time when one period  $T_w$  has passed after a rising of a logical data pulse by a time interval  $dT_{top}$ , a relationship  $-0.3T_w < dT_{top} < 0$  is satisfied.

However, Fukuzawa teaches delaying the start of the top pulse  $T_{top}$  with respect to the data to be recorded such that the claimed relationship  $3T_w < dT_{top} < 0$  is satisfied (see column 8 lines 23-38 where different values of  $Q$ , the delay of  $T_{top}$ , are discussed).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the write strategy of Fukuzawa with the teachings of Spruit, Nagayama, and Nakamura. One of ordinary skill in the art at the time the invention was made would have been motivated to combine the teachings in order to avoid generating excessive heat (Fukuzawa column 6 lines 53-56).





***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LaTanya Bibbins whose telephone number is (571) 270-1125. The examiner can normally be reached on Monday through Friday 7:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wayne Young can be reached on 571 272-7582. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

  
LaTanya Bibbins

  
WAYNE YOUNG  
SUPERVISORY PATENT EXAMINER